7th Competition on Software Testing (Test-Comp 2025)



https://doi.org/10.1007/978-3-031-90900-9_13


Dirk Beyer (Competition Chair)

Supported by:

Dirk Beyer (Competition Chair)

Number of Participants

Number of evaluated test generators for each year (top: number of first-time participants; bottom: previous year's participants)



Motivation - Goals

- - \rightarrow Establish set of benchmarks
- 2. Publicity for tools that are available
 - \rightarrow Provide state-of-the-art overview
- 3. Support the development of verification tools \rightarrow Give credits and visibility to developers
- 4. Establish standards
 - \rightarrow Specification language, Test-suites, Benchmark definitions, Validators

Schedule of Sessions

Session Test-Comp:

- Competition Report, by organizer
- System Presentations, 10 min by each team
- Open Jury Meeting, Community Discussion

Procedure – Time Line

Three Steps - Three Deadlines:

- Benchmark submission deadline
- System submission
- Notification of results (approved by teams)

Test Problem


Input:

- $\blacktriangleright \ \mathsf{C} \ \mathsf{program} \to \mathsf{GNU}/\mathsf{ANSI} \ \mathsf{C} \ \mathsf{standard}$
- Test Specification:
 - \rightarrow Coverage of function call
 - $\rightarrow \text{Branch coverage}$

Output:



Flow of the Test-Comp execution



Environment

Machines (1000 \$ consumer machines):

- CPU: 3.4 GHz 64-bit Quad-Core CPU
- RAM: 33 GB
- OS: GNU/Linux (Ubuntu 24.04)

Resource limits:

- 15 GB memory
- 15 min CPU time
- 4 processing units

Scoring Schema (since 2019)

Common principles: Ranking measure should be

- easy to understand
- reproducible
- computable in isolation for one tool
- Test-Comp:
 - Coverage of call to function:
 1 point or 0 points
 - Coverage of branches: TEST-COV coverage value (between 0 and 1)

Fair and Transparent

Jury:

Team: one member of each participating candidate

Term: one year (until next participants are determined) Systems:

- All systems are available in open GitLab repo
- Configurations and Setup in GitLab repository
 Integrity and reproducibility guaranteed

Competition Candidates

Qualification:

- 20 Qualified
- One person can participate with different tools
- One tool can participate with several configurations (frameworks, no tool-name inflation)


Benchmark quality:

Community effort, documented on GitHub

Role of organizer:

Just service: Advice, Technical Help, Executing Runs

Results - Example: Overall



Cumulative score

Thanks to:

- Jury (12 people)
- 20 Tools evaluated
- FASE Steering Committee and PC Chairs
- Sponsors: LMU Munich and ETAPS



